



## Global Distributor Technical Bulletin

Welcome to the 3rd edition of our Technical Bulletin.

We want to keep you informed of the latest product updates, new options, Group news and any other information of interest to our Global Distributor Network.



## New on Distributor Portal

### Meet the TRRG Global Team

You can now contact the TRRG Global Team directly from the portal.

## OUR GLOBAL COMMERCIAL AND AFTERMARKET TEAM



**Jeremy Boanson-James**

Global Technical Manager

Speaks English

Phone +44 (0)7966 440 992

[Send Jeremy a message >](#)



**Mark McKinnon**

Global Commercial Manager

Speaks English

Phone +44 (0)1926 357 271

[Send Mark a message >](#)



**Derek Flynn**

Regional Director - Middle East & Asia

Speaks English

Phone +60 12 889 8194

[Send Derek a message >](#)



**Ron Dammers**

Export Sales Manager - Europe

Speaks English, Dutch & German

Phone +31 (0)6 30 599 241

[Send Ron a message >](#)



**Sabine Dove**

Global Markets Assistant

Speaks English & French

Phone +44 (0)1926 357 276

[Send Sabine a message >](#)

[Contact Global Team](#)



## Product Information

We have now added Product Information onto the portal including brochures and lists of options.

## PRODUCT INFORMATION



We want to ensure you are equipped with the best technical information and promotional material at all times.

- **Brochures - Bodies**
- **Brochures - Bin Lifts**
- **Options Lists**
- **Olympus Product Guide**
- **Example Olympus Build Combinations**

For any queries regarding products and options, please contact your area Sales Manager.

[Go back to the Distributor Support Portal homepage](#)

[View Product Information](#)

## Operating & Technical Manuals

Our product manuals are now available in many different languages.

### TRRG TECHNICAL MANUALS

Please select a flag relevant to the language version you require.

Note: not all manuals are available in all languages.



[View Manuals](#)

## Bin Lift Selector

Not sure which bin lift you need? Use the Bin Lift Selector to find the most suitable for your application.



Bin Lift Selector



## Latest Product Updates & Options

<b>Latest product changes developed</b>				
<i>Product affected</i>	<i>Change description</i>	<i>Application of the change</i>	<i>Market affected</i>	<i>Equipment in production affected</i>
OLYMPUS, OLYMPUS MINI and BIN WASHER	Change of reference for rear camera BRIGADE VBV-620-C by BRIGADE VBV-790-C to standarize the product with Dennis Eagle.	30/03/2020	All CE markets.	All new projects, including all that are in the planning list.
OLYMPUS with UPC	Modification of the footboards when lifter is UPC. From now on footboards will be bolted. The change has been made to facilitate assembly tasks in the workshop.	16/03/2020	All CE markets.	All new projects with UPC lifter, including all that are in the planning list.
OL MINI	Modification of the position of the license plate to be more visible when rave rail is fixed. There is not any modification with configuration with foldable rave rail.	05/03/2020	All CE markets.	All new projects.
OLYMPUS with HCT	Creation of a new tank for liquids in the tailgate when option HCT is selected. This new thank has been created to avoid manual reworks when option 055020 is selected together with HCT.	31/03/2020	All CE markets.	All new projects.
OLYMPUS Twin Pack	Creation of a subframe for an OLTP 16,5 for installation on a IVECO GNC chassis.	30/06/2020	Spain	
OLYMPUS	NEW DESIGN for two TOOL BOXes of 90L, according to NC0375. This modification will be included in the next issue of the Price List.	07/05/2020	TMSAS	316628-316629-316630-316631-316632 and 20-0068/69/70/71/72/73
OLYMPUS	New anti-splashing piece for OL tailgate (Wide and Narrow) according to NC0381 (Metal sheet at the bottom of the tailgate to protect water being splashed on the operator).	16/06/2020	TMSAS	316611 to 316616 and 20-0065/66/67/+20-0071
OLYMPUS	New design of a regulable white noise reverse buzzer ("Cri du lynx" in France), according to NC0387. This modification will be included in the next issue of the Price List.	30/06/2020	TMSAS	316628-316629-316630-316631-316632-316633
OLYMPUS	Design of a new support for the heated holders with a lifter Terberg Omnidel FW, according to NC0371.	30/06/2020	TMSAS	20-0065/66/67/+20-0071

## Latest updates in options (not yet updated in PL)

<i>Product affected</i>	<i>Option text</i>	<i>Option code</i>	<i>Modification type</i>	<i>Market affected</i>		
OLYMPUS	Body lower working lights. x side working light located under the body, on the right side and/or on the left side. White LED. Option not available in case of extra hopper for underground containers + UPC (013041, 013045, 013071 or 013075) or with satellite unload options	122061 122101 122131 122051 122201 122211	Text reviewed. Now available with greasing system.	CE Markets		
	Advertising panel support, TMNL design 1000x820mm. Supports for advertising panels on each side of the body. TMNL design. Panels not included. (1000x820mm).	059120			New option.	TMNL
	Plastic toolbox - 110l Plastic toolbox 110l with lock and key mounted under the body.	078020			Gross price reviewed, according to provider prices. New GP: 391€.	CE Markets
	Plastic toolbox - 90l Plastic toolbox 90l with lock and key mounted under the body.	078030			Gross price reviewed, according to provider prices. New GP: 336€.	CE Markets
	Support for wheel chocks. Support for wheel chocks. Wheel chocks not included (supplied with the chassis).	184020			New option.	CE Markets
	Plastic toolbox - 150l Plastic toolbox 150l with lock and key mounted under the body.	078050			New option.	CE Markets
	Bicycle protection. Cycle protection chassis. Bicycle protection supplied (with the chassis). Protections will be adapted in case of toolbox 150l (option 078050). ONLY FBM.	084040	New option.	CE Markets		

<b>OLYMPUS</b>	<p>Overload detector: KIMAX. Without lock out. Overload detector (pressure detector) KIMAX II with multiple sensors and display in cab. The system reads the load of the RCV at any time and advises when the vehicle reaches its maximum allowed weight. The sensors measure the pressure of air in the lungs of the suspension (rear axles) and transcribe it into tonnes on a display mounted in the cabin. Only for chassis with pneumatic suspension, 2 or 3 axles. Without lock out of compaction mechanism when maximum allowed weight is reached.</p>	020060	Text reviewed. Now available for chassis of 2 and 3 axles.	CE Markets
	<p>Overload detector: KIMAX. With lock out. Overload detector (pressure detector) KIMAX II with multiple sensors and display in cab. The system reads the load of the RCV at any time and advises when the vehicle reaches its maximum allowed weight. The sensors measure the pressure of air in the lungs of the suspension (rear axles) and transcribe it into tonnes on a display mounted in the cabin. Only for chassis with pneumatic suspension, 2 or 3 axles. With lock out of compaction mechanism when maximum allowed weight is reached.</p>	020061	Text reviewed. Now available for chassis of 2 and 3 axles.	CE Markets
	<p>Sesaly warning light system (centre). Warning light panel, brand SESALY. Lighting panel in one piece. Mounted in the center. ONLY with Terberg OmniTrade.</p>	152070	New option.	CE Markets (mainly TMSAS)
	<p>Plastic toolbox - 90lx2 2 plastic toolbox 90l with lock and key mounted under the body.</p>	078060	New option (NC0375)	TMSAS

OLYMPUS	Preparation for mounting of Terberg OmniMax_e bin lift. Preparation for the installation of Terberg OmniMax_e lifter supplied by the customer. Includes the fitting kit for a Terberg OmniMax bin lift, 32pin connection, light bridge and roof. Options 102020 and 107040 are necessary if this option is chosen with OL WIDE.	034230	New option	CE Markets
	Regulable white noise reverse buzzer. Regulable white noise reverse buzzer, named "Cri du lynx" in France.	090050	New option (NC0387)	TMSAS
OLYMPUS MINI	Sweeper central greasing with automatic pump (ILC).	2082040	New option.	CE Markets
	System to grease sweeper automatically from a central location. Includes an automatic pump. Greasing system brand ILC.			
	Support for wheel chocks. Support for wheel chocks. Wheel chocks not included (supplied with the chassis).	2184020	New option.	CE Markets
	Overload detector: KIMAX. Without lock out. Overload detector (pressure detector) KIMAX II with multiple sensors and display in cab. The system reads the load of the RCV at any time and advises when the vehicle reaches its maximum allowed weight. The sensors measure the pressure of air in the lungs of the suspension (rear axles) and transcribe it into tonnes on a display mounted in the cabin. Only for chassis with pneumatic suspension, 2 or 3 axles. Without lock out of compaction mechanism when maximum allowed weight is reached.	2020060	New option.	CE Markets



<b>OLYMPUS MINI</b>	<p>Overload detector: KIMAX. With lock out.</p> <p>Overload detector (pressure detector) KIMAX II with multiple sensors and display in cab. The system reads the load of the RCV at any time and advises when the vehicle reaches its maximum allowed weight.</p> <p>The sensors measure the pressure of air in the lungs of the suspension (rear axles) and transcribe it into tonnes on a display mounted in the cabin.</p> <p>Only for chassis with pneumatic suspension, 2 or 3 axles.</p> <p>With lock out of compaction mechanism when maximum allowed weight is reached.</p>	2020061	New option.	CE Markets
	<p>Lifter arms. Arms for 800l.</p> <p>Arms for Oschner_type arms for container's of 800 litres.</p> <p>If arms for 1100l are also required, also choose option 2038020.</p>	2038030	Text reviewed. Now compatible with with IDEA (2097023) or Autogather (NC0065).	CE Markets
	<p>Regulable white noise reverse buzzer.</p> <p>Regulable white noise reverse buzzer, named "Cri du lynx" in France.</p>	2090050	New option (NC0387)	TMSAS

**IMPORTANT CHASSIS INFORMATION**

<i>Product affected</i>	<i>Change description</i>	<i>Application of the change</i>	<i>Market affected</i>	<i>Equipment in production affected</i>
CHASSIS IVECO + OLYMPUS with LED lights	<p>IVECO chassis can be configured with OLYMPUS with LED lights ONLY if chassis is NOT IVECO STRALIS GNC no SWAY. In case of chassis IVECO STRALIS GNC no SWAY LED lights are not available.</p> <p>In case of chassis IVECO + OLYMPUS with LED lights it is <b>NOT</b> necessary to order the chassis with IVECO option 78715.</p>	04/05/2020	All markets	-

For further product information, please contact your local Sales Manager

Contact Commercial Team



## Singapore Zero Waste program supported by TRRG

Terberg RosRoca Group's local representation in Singapore, Zenith, has secured a tender to support Berlin based ALBA Group with its expansion into the Asian market with 20 new Olympus bodies and 1 Olympus TwinPack system.

The Olympus equipped trucks will go into operation contributing to the Singapore Trash Evolution

Program (STEP), a specially developed waste evolution programme designed by ALBA and Wah & Hua, tailored to the specific situation in Singapore



[Read More](#)



## TRRG's EuroTRADE WLS undergoes harsh Scandinavian climate testing

Terberg RosRoca Group (TRRG) headed to Norway recently to put its EuroTrade WLS system through its paces, testing its resolve in the harsh Scandinavian climate it will ultimately be operating in, during a recent demonstration to our local dealer, Steco and their customer, Hallingdal Renovasjon.

The Winch Lock and Shake lift system (WLS) incorporates a new lift and control system that utilises the RCV body controller and HMI screen for lifter control, cleverly integrating the lifter into the body controller.

The EuroTRADE WLS solution has been specifically designed to meet Scandinavian collection requirements that involves the emptying of large skips up to 18 cubic metres along with two and four wheeled containers.

Being able to offer these larger vehicles with high tailgate capacities improves efficiency and uptime, both advantages that we pass onto our customers.



Picture above: (Left to Right) Ron Dammers, Export Sales Manager - TRRG, Sven Eric Svendsen, Sales Manager - Steco Miljø, Ole Jonny Lægreid, Service and Fleet Manager - Hallingdal Renovasjon, Marcel Feitsma, Product Manager - Terberg Machines, Jeremy Boanson-James, Export Technical Manager - TRRG, Marcin Brzezinski, Aftersales Manager - Steco Miljø, Marc Fonoll, Electrical Design Engineer - Ros Roca

[Read More](#)



**Used Vehicles & Used Equipment for Sale**



Olympus 20W with Terberg OmniMAX(E) mounted to Scania LPG L280 6x2 E6



Olympus 21W with Terberg OmniMAX(E) mounted to Renault D-Access 6x2 Rear Steer



Olympus 25+ with Terberg OmniDE-X mounted to MAN TGS 26.320 6x2-2 BL



Olympus 20+ with Terberg OmniMAXé mounted to Mercedes Econic 2635L ENA  
6x2/4



Terberg OmniDEKA Bin Lift

Visit our Used Vehicles site



Thank you for being part of our Global Distribution Network



Terberg RosRoca Group  
Heathcote Way  
Heathcote Industrial Estate

Warwick  
CV34 6TE  
UNITED KINGDOM

You are receiving this email as a valued part of our global distributor network, we assume you have a legitimate interest in the business of Terberg RosRoca Group and that you wish to be kept informed of technical updates, product information, news and other developments.

If you no longer wish to receive information from us, please unsubscribe from our mailing list using the link below.

Sent to: [\\_t.e.s.t\\_@example.com](mailto:_t.e.s.t_@example.com)

[Unsubscribe](#)

Terberg RosRoca Group Limited, Heathcote Way, Heathcote Industrial Estate, Warwick, CV34 6TE, United Kingdom